

(12) UK Patent Application (19) GB (11) 2 139 893 A

(43) Application published 21 Nov 1984

<p>(21) Application No 8411267</p> <p>(22) Date of filing 2 May 1984</p> <p>(30) Priority data</p> <p>(31) 833147 (32) 3 May 1983 (33) ZA</p>	<p>(51) INT CL³ A01N 25/08 53/00</p> <p>(52) Domestic classification A5E 300 311 312 317 326 T U1S 1287 1290 A5E</p> <p>(56) Documents cited GB A 2104780 GB 0894431 GB 1516682 GB 0847370 GB 0955897 WO 82/02647</p> <p>(58) Field of search A5E</p>
<p>(71) Applicant The Wellcome Foundation Limited (United Kingdom), 183-193 Euston Road, London NW1 2BP</p> <p>(72) Inventors Rodney Cyril Baker, Philippus Jansen Van Rensburg</p> <p>(74) Agent and/or Address for Service Dr A. J. Rollins, Langley Court, South Eden Park Road, Beckenham, Kent BR3 3BS</p>	

(54) Pesticidal composition

(57) Compositions contain a pesticide, an emulsifier or dispersing agent and a self-disintegrating agent capable of effervescing or swelling on being contacted with water. The composition conveniently is in the form of an effervescent pesticidal tablet. The tablet may be added to water and the aqueous solution used for pest control.

GB 2 139 893 A

SPECIFICATION

Pesticidal composition

5 This invention relates to a pesticidal composition.

5

The present invention provides a pesticidal composition comprising a pesticide, an emulsifier or dispersing agent for the pesticide, and a self-disintegrating agent capable of effervescing or swelling on being contacted with water.

The pesticide conveniently may comprise a synthetic pyrethroid optionally admixed with a synergist (eg piperonyl butoxide). Examples of synthetic pyrethroids are those known as permethrin (ie 3-phenoxybenzyl- (±)-cis, trans-2,2-dimethyl-3-(2,2-dichlorovinyl) cyclopropane-1-carboxylate), deltamethrin (ie S-α-cyano-3-phenoxy-benzyl-(1R,3R) 2,2-dimethyl-3-(2,2-dibromo vinyl) cyclopropane-1-carboxylate) and tetramethrin (ie 3,4,5,6-tetrahydrophthalimidomethyl (±) cis, trans-chrysanthemate). Other pesticides which can be used are propoxur (ie 2-isopropoxyphenyl methyl-carbamate), trichlorfon (ie 2,2-trichloro-1-hydroxy-ethylphosphonate), dichlorvos (ie 2,2-dichlorovinyl dimethyl phosphate), fenvalerate (ie α-cyano-3-phenoxy benzyl-(RS)- 2 (4-chlorophenyl)-3-methylbutyrate, diazinon (ie O,O-diethyl-O-2-isopropyl-6-methyl-pyrimidin-4-ylphosphorothioate, amitraz (ie N,N di-(2,4-xylyliminomethyl) methyl amine), phosmet (ie O,O-dimethyl S-phthalimido-methyl phosphorodithioate) and dursban (ie O,O-diethyl-O-3,5,6-trichloro-2-pyridyl-phosphorothioate). The pesticides can be used singly or in combination. The composition may, for example, contain from one to 20% by weight of pesticide, more conveniently about 8-15% by way of pesticide.

The composition may include, where necessary, materials for preventing the crystallisation of low melting pesticides (eg permethrin) which, when added to the composition in liquid form, could otherwise crystallise at a later stage. Such materials may comprise relatively high boiling (ie low volatility) solvents, other liquid pesticides, piperonyl butoxide and/or standard crystallisation inhibitors.

There may be a single emulsifier or dispersing agent, or a number of emulsifiers or dispersing agents. Examples are those available under the trade names Phenyl Sulphonate CA (from Hoechst) and Tergitol XD (from ICI). An anti-foam material such as dried Silcolapse (from ICI) may also be present. The amount of emulsifier or dispersing agent may range from about 0,1 to 5%, more conveniently about 0,5 to 2,5% by weight.

One example of a self-disintegrating agent that swells on contact with water is a cross-linked polyvinyl-pyrrolidone (PVP). Alternatively, an acid and a base can be present. For example, tartaric acid and an alkali metal carbonate or bicarbonate, particularly sodium bicarbonate, may be present. A further acid, such as boric acid, may be present as a lubricant. The amount of self-disintegrating material may range from about 5% to 90% by weight. When an acid and a base are present, conveniently about 20% to 45% of the composition is acid, and about 25% to 55% by weight of the composition is the base. Boric acid or other lubricant can be present in an amount of up to about 8% by weight.

The remainder of the composition can be any suitable carrier or excipient. For example, a binder such as that available from BASF under the trade name Luviskol K30 (PVP) can be present in amounts of up to about 94% by weight.

The composition provided by the invention conveniently is formed as a tablet or the like.

The invention also provides a method of making a composition according to the invention, which comprises the steps of

(a) dissolving a pesticide in a solvent, for example methylene dichloride, and adding thereto any optional anti-foam agent which may be present, as well as an emulsifier or dispersing agent;

(b) separately preparing a dry powdered mixture comprising powdered constituents including an agent which effervesces or swells on being contacted with water; and mixing solution (a) with the powdered constituents (b).

The invention also provides a further method of making a composition according to the invention, which includes the steps of

(a) absorbing onto an absorptive carrier a water or oil based suspension concentrate of a pesticide and a pesticide emulsifier or dispersing agent when it is in liquid form;

(b) separately preparing a dry powdered mixture comprising powdered constituents including a pesticide emulsifier or dispersing agent when it is in dry powdered form, and a self-disintegrating agent capable of effervescing or swelling on being contacted with water; and

(c) mixing the pesticide-containing absorptive carrier from step (a) with the powdered constituents from step (b).

When present, the absorptive carrier may be in powdered form, eg it may be powdered silica.

The composition may be granulated, eg in a standard granulator by means of a sieve. The granules can then be dried at about 40-60°C, re-screened if necessary, to give a uniform particle size which may be tableted in standard tableting machines. It is particularly convenient to keep the moisture content less than 1,0% by weight.

In use, the tablets or other composition provided by the invention may be added to water, whereupon the composition effervesces and disintegrates, thereby being provided in a form which is easy to use. This aqueous form may be used for the control of pests around the house on a wide range of surfaces, since a

minimal deposit is left on the surfaces. It may be used for the control of ants, cockroaches, flies, fleas, ticks, or the like.

The composition may be further diluted for use with a hand pump spray or pressurizable sprayer.

Alternatively, it may be used as a dip or wash for animals, particularly household animals such as dogs, for controlling insects in animal-keeping areas, for example kennels or baskets. It can also be used for the dipping of farm animals such as cattle, sheep and goats.

The composition provided by the invention is an advantageous form of composition, and is a very useful way of supplying a pesticide. The aqueous form causes minimum damage to surfaces with which it comes into contact.

The composition may be in unit dose form, for example in 5 gm tablets containing about 10% of insecticide. One tablet in 500 mls of water would then give 0,1% dilution rate. Double this amount can be used for double the concentration.

The invention is illustrated in non-limiting manner by reference to the accompanying Example:

15 Example

A tablet was made up from the following constituents, the amounts being in percent by weight:

	Permethrin, technical	10,7	
20	Phenyl Sulphonate CA (emulsifier)	0,35	20
	Tergitol XD	0,65	
	Luviskol K30 (PVP)	8,00	
	Boric Acid	4,9	
	Tartaric Acid	31,9	
25	Sodium Bicarbonate	43,0	25
	Dried Silcolapse (anti-foam)	0,5.	

The pesticide, emulsifier and the anti-foam agent were mixed together and dissolved in 20 to 100 parts of methylene dichloride. The remaining constituents, which were in powdered form, were mixed together separately. Thereafter, the two sets of constituents were mixed together and granulated and dried at 40-50°C. The granules were sieved and tableted to give a pesticidal tablet. When the tablet was contacted with water, it effervesced and disintegrated within 2 minutes, and so was easy to apply for use in the control of pests.

The efficacy of the tablets of the above Example was assessed by trials on a number of surfaces.

Five weeks' control was obtained against ants on wood, glass and stainless steel. A lesser period of protection was recorded on cement, painted cement, painted wood and plastic. Three to four weeks' control was obtained under field conditions.

In addition, a period of one weeks' control was obtained against American cockroaches on stainless steel, and four weeks' control on glass, wood and stainless steel against German cockroaches.

40 CLAIMS

1. A pesticidal composition comprising a pesticide, an emulsifier or dispersing agent for the pesticide, and a self-disintegrating agent capable of effervescing or swelling on being contacted with water.
2. A composition as claimed in Claim 1, wherein the pesticide is a synthetic pyrethroid.
- 45 3. A composition as claimed in Claim 1, wherein the pesticide is propoxur, trichlorfon, dichlorvos, fenvalerate, diazinon, amitraz, phosmet or dursban.
4. A composition as claimed in any one of the preceding claims, and containing from 1 to 20% by weight of pesticide.
- 50 5. A composition as claimed in any one of the preceding claims, wherein an anti-foam material is also present.
6. A composition as claimed in any one of the preceding claims, wherein the self-disintegrating agent is polyvinylpyrrolidone or an acid and a base.
7. A composition as claimed in any one of the preceding claims in the form of a tablet.
8. A method of making a pesticidal composition, which comprises the steps of
 - 55 (a) dissolving a pesticide in a solvent and adding an emulsifier or dispersing agent thereto;
 - (b) separately preparing a dry powdered material comprising an agent which effervesces or swells on being contacted with water, and any further powdered constituents for the composition; and
 - mixing the solution (a) with the mixture (b).
9. A method of making a composition according to Claim 1, which includes the steps of
 - 60 (a) absorbing onto an absorptive carrier a water or oil based suspension concentrate of a pesticide and a pesticide emulsifier or dispersing agent when it is in liquid form;
 - (b) separately preparing a dry powdered mixture comprising powdered constituents including a pesticid emulsifier or dispersing agent when it is in dry powdered form, and a self-disintegrating agent capable of effervescing or swelling on being contacted with water; and

(c) mixing the pesticide-containing absorptive carrier from step (a) with the powdered constituents from step (b).

10. The use, in the control of pests, of a composition as claimed in any one of Claims 1 to 7.

Printed in the UK for HMSO, D8818935, 10/84, 7102.

Published by The Patent Office, 25 Southampton Buildings, London, WC2A 1AY, from which copies may be obtained.